

# Güneş Panelli Kamouflajlı Kamera

Photo



Main feature

- 6W Power, Solar panel universal adjustment, built-in super capacity battery
- Ultra-low power standby, quick wake up in 0.2 seconds
- PIR Human detection + AI Human shape detection
- High-performance ISP and 1/2.7" progressive sensor, blacklight full color
- 2MP / 3MP / 4MP
- Built-in microphone and loudspeaker, support two way audio
- Support Cloud storage and local storage
- APP support Android/IOS
- IP65 waterproof
- Support All-in-One installation and separated installation

Model No.

**EX-US22ST-4GKM**

General

Resolution

**2MP**

1920\*1080

Main processor

Ingenic-T31ZL

Image Sensor

GC2063

APP Operation System

Android, IOS

Compression

H.264+/H.265

Image Sensor

1/2.7" Image Sensor

Compression

H.264+/H.265

Resolution

1920\*1080 1080P

Internet Connection

4G

TD-LTE, TD-LTE / LTE FDD TD-LTE / LTE-FDD

4G Version

CN/ AU/ EU/ JP/ US/ ASEAN (Optional)

Alarm

Detection Mode

PIR Human detection  
AI Human shape detection(option)

Detection Distance

0~12M

|              |                              |   |
|--------------|------------------------------|---|
|              | Detect Angle                 | 95°   |
|              | Alarm Mode                   | Realtime calling or push message            |
| PTZ          | PTZ Angle                    | Horizontal 355 ° Vertical 100°              |
|              | Speed                        | Horizontal 55 °/S Vertical 40°/S            |
| Night Vision | Full color night vision      | 0.001 Lux                                   |
|              | IR LED                       | infrared LED 30M IR distance                |
|              | White light LED              | white light LED 30M distance                |
| Audio        | Built-in speaker (input)     | 3W  |
|              | Built-in microphone (output) | voice monitoring distance 20M               |
| Lens         | Lens                         | 2.8mm                                       |
|              | Lens Angle                   | 95°   |
| Storage      | Cloud Storage                | Cloud storage, storage when alarm recording |
|              | Local Storage                | TF Card Max 128G                            |
| Power        | Power Supply Mode            | Solar Panel+ Build in Batteries             |
|              | Panel Material               | monocrystalline silicon                     |
|              | Solar Energy Power           | 6W  |
|              | Battery Capacity             | Build in batteries                          |
|              | Operating power consumption  | Max 4W                                      |
|              | Standby consumption          | 0.003W                                      |
| Others       | Working Environment          | Indoor/outdoor                              |
|              | Operation Temperature        | -30°~+60°                                   |
|              | Humidity                     | 0%~90%RH                                    |
|              | N.W.                         | 1.4KG/PCS                                   |
|              | Giftbox size                 | 219*188*138MM                               |

|         |                    |               |
|---------|--------------------|---------------|
| Package | Quantity in carton | 12PCS         |
|         | G.W.               | 17.5KG        |
|         | Carton size        | 410*350*420mm |